


CAPITAL

— ACCESSORIES —



EDITION 2018 - 2019





CONTENTS

A		FIRE CEMENT SEALER	25	PELLETS	22
ADHESIVE	24	FIREGUARDS	20	PJ ELECTRIC FIRE	36
ALL NIGHT BURNER	32	FIXING KITS	24	R	
ASHPANS	32	FIXING REGISTER PLATE KITS	24	REGISTER PLATE KITS	24
ATMOSFIRE WIPER	23	FLUE	26	REPLACEMENTS	30
B		FLUE FREE	23	ROPE ADHESIVE	24
BACKS - CAST IRON	31	FLUE LINER	27	ROPE KITS	25
BALLOONS	24	FLUE SEAL	25	ROPE ROLLS	25
BARS	33	FRETS	37	RYTON VENTS	22
BASKETS	14	G		S	
BEAMS	4	GAS HOT BOX	36	SCREENS	20
BRICK CHAMBERS	6	GAS TRIMS	37	SEALANTS	25
BRICK SETS	31	GEOCAST BEAMS	4	SILICON FIREPROOF SEALANT	25
BUCKETS	16	GLASS CLEANER	23	SKAMOLEX	8
C		GLASS HEARTHES	10	SLATE CHAMBERS	7
CAST IRON BACKS	31	GLASS WIPER	23	SMOKE PELLETS	22
CERAMICS	36	GLOVES	18	SOLID FUEL KITS	35
CHAMBERS	6	GRATES	30	SOOT BOX	35
CHIMNEY BALLOON	24	GRATE AND STOVE POLISH	23	STONE SEALER	23
CHIMNEY COWLS	28	GRANITE HEARTHES, FLATS, SLIPS AND BACK PANELS	38	STORES - LOGS	15
CHIMNEY POTS	28	H		STOVE AND GRATE POLISH	23
CLAY BACKS & LINTELS	34	HEARTHES - GLASS	10	STOVE CHAMBERS	6
CLOSURE PLATE	31	HIGH TEMPERATURE PAINT	23	STOVE ENAMEL PIPE	29
COALS	36	HOT BOX	36	STOVE FANS	22
CO MONOXIDE DETECTOR	22	L		STOVE FIXING KIT	24
COMPANION SETS	18	LINTELS	34	STOVE GLOVES	18
D		LOG BASKETS	14	STOVE THERMOMETER	22
DAMPERS	31	LOG BUCKETS	16	T	
DATA PLATES	24	LOG MOISTURE METER	22	THERMOMETER	22
DRIFTWOOD - GAS	36	LOGS - GAS	36	TRIMS - GAS	37
E		LOG STORES	15	TRIMS - SOLID FUEL	35
ELECTRIC PJ FIRES	36	M		V	
ELECTRIC STOVES	12	MATCHES	22	VENTS	22
EMBAGLOW	36	MICAFIL	24	VERMICULITE	24
F		MOISTURE METER	22	VITREOUS ENAMEL PIPE	29
FANS	22	P			
FERMACELL	8	PAINT	23		
FIRE BLOCK SEAL	25	PEBBLES - GAS	36		
FIREBOARD CHAMBERS	8				



GEOCAST BEAMS

Our non-combustible oak effect Geocast Beams have been developed from a natural inorganic material. Whilst being non-toxic and un-burnable, they are extremely durable and can be molded to achieve high definition.



LIGHT OAK



DARK OAK



AMBIENT LIGHTS

Ambient lighting is also available as an optional extra, it not only helps create a warmer impression in your home, it also gives more focus to the fire. The lighting kit can be operated separately to the stove, meaning you're able to maintain a cosy ambience with or without the stove being lit. Please note this option is only available with a 48" and 54" beam.

Available in dark or light oak, our beams can be supplied in the following sizes (mm);

- 36" (917 wide x 140 high x 105 deep)
- 48" (1220 wide x 140 high x 105 deep)
- 54" (1370 wide x 140 high x 105 deep)



STOVE CHAMBERS

CORINTHIAN STONE CHAMBER

QUARRIED IN THE WESTERN MEDITERRANEAN, THIS HONED LIMESTONE HAS A RICH SANDY COLOUR THAT PROVIDES A DELICATE WARM FEEL. ITS BACKGROUND COMPOSITION IS MAGNIFIED WITH UNIQUE SMALL FOSSILS AND RANDOM SEDIMENTARY VEINING AND IS NOW AVAILABLE TO PURCHASE AS A STOVE CHAMBER.

OUR WIDE RANGE OF POPULAR STOVE CHAMBERS ARE AVAILABLE TO PURCHASE AS A STANDARD SIZE (DIMENSIONS ON PAGE 8) OR CAN BE MADE TO MEASURE TO FIT YOUR REQUIREMENTS.



NEW
PREMIUM
CHAMBER



PREMIUM
CHAMBER

RIVEN SLATE



PREMIUM
CHAMBER

RUSTY SLATE




PREMIUM
CHAMBER

POMPEII



PREMIUM
CHAMBER


RUSTIC HERRINGBONE




RUSTIC



RAINBOW



RED



COBBLED RED

Made to Measure Chambers on Request, Slabbed, with Returns and Arches

(Specials may be of thicker construction)

Dimensions: 1x (1015 w x 1000 h x 35 thick) 2x (450 w x 1000 h x 35 thick)
 Dimensions 4 Piece Chamber: 1x (950 w x 920 h x 37 thick) 2x (450 w x 920 h x 70 thick)
 Side Returns: 97mm (also on 3 Piece), Arch Height (Opening) Min 760mm - Max 810mm
 Minimum clearance distance applies. Visit www.capitalfireplaces.co.uk for instructions, please note brick colours may vary.



PLAIN

REEDED & PLAIN SKAMOLEX FIREBOARD CHAMBER

OUR SKAMOLEX FIREBOARD CHAMBERS CAN BE SPRAY PAINTED BLACK USING OUR HIGH TEMPERATURE PAINT TO ACHIEVE THE DESIRED LOOK PICTURED ON THE RIGHT HAND PAGE WITH THE REEDED PORTRAIT FIREBOARD, SILSOE AEGEAN SURROUND AND VEGA EDGE 200SL STOVE.

FERMACELL BOARD

1200MM (W) X 1000MM (H) X 12.5 (D)

WATER RESISTANT CEMENT PARTICLE BUILDING BOARD. HEAT RESISTANT TO PROLONGED SURFACE TEMPERATURES OF UP TO 200°C. IDEAL FOR STOVE CHAMBERS ALTHOUGH SHOULD NOT BE USED IN AN ENVIRONMENT WHERE DIRECT CONTACT WITH A NAKED FLAME IS POSSIBLE OR HEAT LIMITS EXCEEDED.


PRODUCT	THICKNESS	SIZE	DENSITY
PLAIN PANELS	20MM	1000 X 610MM	600KG/CU.M
PLAIN PANELS	25MM	1000 X 610MM	600KG/CU.M
REEDED LANDSCAPE PANELS	20MM	1000 X 610MM	700KG/CU.M
REEDED PORTRAIT PANELS	20MM	1000 X 610MM	700KG/CU.M
CAST IRON REEDED PANELS	7MM	4 X (915X380)	N/A






GLASS HEARTH


Our high quality glass hearths are a contemporary alternative to complement any multi fuel or wood burning stove. Constructed from 12mm toughened glass, our hearths are available in six shapes with an option of smoked or transparent finishes.




SQUARE
900MM X 900MM




SEMI CIRCLE
1100MM X 850MM




TRUNCATED
1100MM X 950MM



TEAR DROP
1100MM X 1100MM



CIRCULAR
1100MM



¼ CIRCLE
1200MM

ELECTRIC STOVES

Our Electric Stoves feature an adjustable flame and thermostat and includes an automatic cut-out safety device. (Output: 900-1800w Fan Heater)



VISTA
540 (H) X 415 (W) 280 (D) MM



ORBIT
540 (H) X 415 (W) 280 (D) MM



ZODIAC
570 (H) X 510 (W) 280 (D) MM



LOG BASKETS & STORES

MEDWAY

390 (H) 560 (L) 440 (W)



DERWENT

370 (H) 550 (L) 440 (W)



AVON

300 (H) 470 (L) 470 (W)



EDEN

190 (H) 550 (L) 410 (W)



VENETO MAXI

BLACK LEATHER EFFECT 470 (H) x 500 (W)



VENETO MAXI

BROWN LEATHER EFFECT 470 (H) x 500 (W)



NORDIC - BLACK
590 (H)



LIDO SMALL - BLACK
600 (H) x 300 (W)



LIDO LARGE - BLACK
1250 (H) x 300 (W)



LOGS, KINDLING & MATCHES HOLDERS
BLACK STEEL



VENETO MINI
BLACK OR BROWN LEATHER EFFECT
350 (H) x 450 (W)



NAPOLI - GREY FELT
325 (H) x 310 (W)



LOG BUCKETS

HENLEY - BLACK/PEWTER 410 (H)



DORSET - BLACK 540 (H)



WATERLOO - BLACK 300 (H)



SALISBURY - BLACK 220 (H)



ASH BUCKET
CREAM 340 (H)



ASH BUCKET
GREY 340 (H)



KINDLING BUCKET
CREAM 340 (H)



KINDLING BUCKET
GREY 340 (H)



KINDLING BUCKET (SMALL)
CREAM 280 (H)



KINDLING BUCKET (SMALL)
GREY 280 (H)



COMPANION SETS



STOVE GLOVES

BARLETTA BLACK OR SATIN STEEL

230 (L) x 100 (W)



VASARI - BLACK & SATIN STEEL

462 (H) x 265 (W)



ELIPSE BLACK - 540 (H)



ELIPSE PEWTER - 540 (H)



MANOR BLACK - 558 (H)



MANOR BLACK/PEWTER
540 (H)



ORION LOOP - BLACK
600 (H)



ORION LOOP - PEWTER
600 (H)



TEE SET BLACK - 540 (H)



TEMPLE BLACK - 584 (H)



TRIO BLACK - 450 (H)



FIREGUARDS

4 FOLD SCREEN - BLACK

610 (H) x 960 (W)



BOW - BLACK

750 (H) x 640 (W)



CAMBER - BLACK CURVED GUARD

Small: 610 (H) x 660 (W) | Large: 660 (H) x 760 (W)




COTSWOLD - BLACK SPARK GUARD

710 (H) x 620 (W)



CLASSIC 3 PANEL - BLACK

610 (H) x 960 (W)



PREMIUM DOME - BLACK LARGE

710 (H) x 610 (W)



PREMIUM DOME - BLACK SMALL
610 (H) x 510 (W)




CRUSADE - 3 FOLD BLACK GUARD
584 (H) x 533 (W) x 152 RETURN



CLASSIC RECTANGULAR - BLACK
610 (H) x 540 (W)



DYNASTY - 3 PANEL BLACK SCREEN
660 (H) x 431 (W)



PREMIUM RECTANGULAR - BLACK
710 (H) x 610 (W)



NURSERY GUARD - BLACK
670 (H) x 870-1600 (W)



STOVE ACCESSORIES

VENT - AC3LPTC 78mm

AC3LPTC 78mm aircore with Lookryt Louvre panel, 31.68cm equivalent free area



VENT - AC10LP 125mm

AC10LP 125mm aircore with Lookryt Louvre panel, 104cm equivalent free area




RYTON VENTS

Ryton floor vent in Brass and Chrome, 110cm² equivalent free area (HETAS & BBA APPROVED)



CO DETECTOR

Fire Angel 7 year life carbon monoxide alarm



STOVE THERMOMETER



STOVE FAN



LOG MOISTURE METER



SMOKE PELLETS

Pack of 100



MATCHES



FLUE FREE 750g
FLUE & CHIMNEY CLEANER



GLASS CLEANER 320ML
STOVE GLASS CLEANER



BLACK HIGH-TEMP PAINT
SOLD IN A PACK OF 6



CHARCOAL HIGH-TEMP PAINT
FOR SIRIUS CONTEMPORARY STEEL STOVES



GRAPHITE HIGH-TEMP PAINT
FOR SIRIUS CAST IRON TRADITIONAL STOVES



ALMOND HIGH-TEMP PAINT
FOR SIRIUS STOVES



STONE SEALER 1 LITRE
FOR NATURAL STONE



STOVE & GRATE POLISH
BLACK - 75G TUBE



ATMOSFIRE STOVE
GLASS DRY WIPE PAD



CHAMBER BALLOON

Chimney balloon and inflation tube, available in Small (15" x 19"), Medium (24" x 12") and Large (36" x 15")



DATA PLATE

Document J Data Plates must be completed and permanently displayed in the room where stove products have been installed

capital fireplaces <small>www.capitalfireplaces.co.uk</small>	
IMPORTANT SAFETY NOTICE This label must not be removed or covered	
Property Address	
Flue / Hearth located in	
Chimney is suitable for	
Chimney designation	
Flue size	
Installation Date	
Installed By	
Suitable for condensing appliances Yes/No	
Appliance Designation	
Other information	
<small>The heating appliance and chimney should be checked annually by a competent person. If burning solid fuel it is essential the flue is swept regularly.</small>	



FIXING KIT

Register plate (any standard size), brackets, collar, 1 metre of stove pipe (5" or 6" no door), 1 rope kit, 1 cartridge flue seal & CO detector


MICAFIL VERMICULITE - 100 LITRE

FIXING REGISTER PLATE KITS

Register Plate with two access hatches available in the following sizes; 1220mm x 405mm, 1075 x 380mm and 810mm x 380mm

ROPE ADHESIVE - 50ML

Register Plate with two access hatches available in the following sizes; 1220mm x 405mm, 1075 x 380mm and 810mm x 380mm




ROPE KIT

5 metres high temperature rope seal and 30ml rope adhesive available in 6mm, 8mm, 9mm, 10mm and 12mm



ROPE ROLLS

25 metre rope rolls available in the following sizes; 6mm, 8mm, 9mm, 10mm and 12mm



FIRE BLOCK SEAL - 310ML

1500 °C buff sealing and repairing firebricks, fireplaces and ovens

FIRE CEMENT - 300ML

1400 °C black, ideal for patching and repairs of firebricks and brickwork

FLUE SEAL - 300ML

1000 °C black sealant for jointing and adhesive on fires, stoves and chimney sections

SILICON FIREPROOF SEALANT - 310ML

1200 °C clear silicon sealant, ideal for the fixing of glass hearths

TWPRO TWINWALL INSULATED CHIMNEY

TWPro has been tested to the highest possible European Standards making it one of the only chimneys in the UK that is capable of temperature rating of 600 degrees with a distance to combustible materials of 50mm.

TWPro has been designed with the installer in mind with a wide range of installer friendly components. It is quick and easy to install leaving you with a clean lined system to the highest standards and the unique, robust jointing system ensures a positive fit on every joint that is secured with a locking band. TWPro with its open ended construction, eradicates the problem of hotspots within the joints leaving a continuous full insulated chimney throughout.

Available in stainless steel, Black, Grey and White finishes, TWpro is the perfect chimney for any installation.

Available in sizes from 100mm to 450mm on request.

EN1856-1 T600 N1 W V2 L50040 G50

AVAILABLE IN
STAINLESS STEEL,
BLACK, GREY
& WHITE



DESCRIPTION	ITEM STAIN-LESS STEEL	ITEM BLACK, GREY, WHITE	DESCRIPTION	ITEM STAIN-LESS STEEL	ITEM BLACK, GREY, WHITE
Adapter to SW			Base Support Plate		
Increaser SW			80-280mm Adjustable Base Support		*
Flat Adaptor to SW			Console Plate		
Flat Increasing Adaptor			Roof Support		
Flex to TWPro Adaptor			Long Roof Support		
1000mm Pipe			Joist Support		
500mm Pipe			Guy Wire Bracket		
250mm Pipe			Guy Wire Kit 30m Complete Kit		
100mm Pipe			Solid Fire Stop Plate (Gas)		
500-880mm Adj Pipe			Ventilated Fire Stop Plate (MultiFuel)		
350-500mm Adj Pipe			Fire Stop Cover Plate (White or Black)		
250-350mm Adj Pipe			Ventilated Fire Stop Support Kit (White or Black)		
1000mm Flat Starter Pipe			Storm Collar		
1000mm Connecting Pipe			Residential Flashing EPDM		
500mm Connecting Pipe			Rain Cap		
45° Bend			Anti-Wind Cowl		
30° Bend			45° Adjustable Wall Sleeve		
15° Bend			Round Finishing Plate 90°		
135° Tee			Round Finishing Plate 45°		
135° Long Tee					
90° Tee					
Tee Cap					
Tee Cap with Drain					
50-80mm Wall Band					
80-130mm Wall Band					
130-210mm Wall Band					
80-440mm Wall Band					
Structural Locking Band					

* Only available in Black

House External




House Internal



Chimney Lowered or Removed



Flex Relining and with chimney being lowered



**LIFETIME
GUARANTEE***

All products are HETAS approved and carry a CE certificate.

Smooth inner skin provides resistance to corrosive attack due to easydrain down of condensate, less opportunity for soot collection and smooth surface for ease of sweeping. The Flue Liner is constructed from a single strip of steel which is bent at 180 degrees and then the seam is folded in four planes to give a quattrolock seal.

*When fitted with a Capital Stove (T&C's apply)

CHIMNEY POTS & COWLS

CANNON HEAD POT

(ROLL TOP POT)

AVAILABLE IN 300, 450 & 600MM HEIGHTS. 200MM INTERNAL TOP DIAMETER



CANNON HEAD POT (BUFF)

(ROLL TOP POT)

300MM HEIGHT, 200MM INTERNAL TOP DIAMETER



FLUE VENTILATOR

(PEPPER POT)

190MM SPIGOT



GAS FLUE TERMINAL

(190MM SPIGOT)

ONLY FOR USE WITH GAS FIRES REQUIRING AN OUTLET OF UP TO 125MM DIAMETER



JACKDAW DETERRENT

FITS BOTH ROUND & SQUARE POTS UP TO 250MM



ANTI-DOWN DRAUGHT

(ALL PURPOSE CHIMNEY COWL)



COLT 2 STATIC

(ANTI DOWN DRAUGHT COWL)

SUITABLE FOR GAS & SOLID FUEL FIRES, FITS 125 - 250MM POTS



RAIN TOP COWL

SUITABLE FOR SOLID FUEL FIRES ONLY
FITS 150 - 200MM POTS



COLT HIGH TOP COWL

(BIRD & ANIMAL)

SUITABLE FOR SOLID FUEL FIRES ONLY
FITS 125 - 250MM POTS



ROTOVENT TURBOLITE

SUITABLE FOR GAS & SOLID FUEL FIRES



POT HANGER SOLID FUEL

(SOLID FUEL CHIMNEY LINER COWL)



CONNECTS TO FLEXIBLE LINER 5" OR 6"

VITREOUS ENAMEL PIPE

1 METRE LENGTH
(STOVE FLUE PIPE - 5" OR 6")



1 METRE LENGTH
WITH DOOR
(STOVE FLUE PIPE - 5" OR 6")



0.5 METRE LENGTH
(STOVE FLUE PIPE - 5" OR 6")



0.5 METRE LENGTH
WITH DOOR
(STOVE FLUE PIPE - 5" OR 6")



0.25 METRE LENGTH
(STOVE FLUE PIPE - 5" OR 6")



90° BEND
(STOVE FLUE PIPE - 5" OR 6")



90° BEND WITH DOOR
(STOVE FLUE PIPE - 5" OR 6")



45° BEND
(STOVE FLUE PIPE - 5" OR 6")



45° BEND WITH DOOR
(STOVE FLUE PIPE - 5" OR 6")



T PIECE
(STOVE FLUE PIPE - 5" OR 6")



T PIECE PLUG
(STOVE FLUE PIPE - 5" OR 6")



0.25 METRE LENGTH
WITH DAMPER
(STOVE FLUE PIPE - 5" OR 6")



M TO M FITTING
(STOVE FLUE PIPE - 5" OR 6")



PIPE BRACKET
(STOVE FLUE PIPE - 5" OR 6")



INCREASING ADAPTOR
(VITREOUS TO FLEXI - 5" OR 6")



FLUE ADAPTOR
(5" VITREOUS TO FLEXI)
(6" VITREOUS TO FLEXI)



REPLACEMENTS

G2 GRATE

FOR USE WITH AP14 ASHPAN
12½"(W), FOR 14" BACK



G3 GRATE

FOR USE WITH AP9 ASHPAN
14½"(W), FOR 16" BACK



G4 GRATE

For use with AP9 Ashpan
16"(W), FOR 18" BACK



G5 GRATE*

FOR USE WITH AP9 ASHPAN
15"(W), FOR 16" BACK



G6 GRATE*

FOR USE WITH AP9 ASHPAN
15"(W), FOR 18" BACK



G7 GRATE

FOR USE WITH AP9 ASHPAN
15"(W), FOR 16" BACK



G12 GRATE*

15"(W), FOR 16" BACK



G14 GRATE

For use with AP14 Ashpan
12½"(W), FOR 14" BACK



G15 GRATE*

FOR USE WITH AP9 ASHPAN
15"(W), FOR 16" BACK



G16 GRATE*

FOR USE WITH AP9 ASHPAN
17"(W), FOR 18" BACK



G38 GRATE

For use with AP38 Ashpan
17"(W), FOR 16" BACK



BRICK SET
FOR GALLERY & CAPITAL STOVES



CB2
CAST IRON BACK



CB4
CAST IRON BACK



CB8
CAST IRON BACK



CB38
CAST IRON BACK



D2 DAMPER
FITS 16" BACK FOR GAS & SOLID FUEL



D17 GAS DAMPER
FITS GALLERY TRADITION



D19 & D39 DAMPER
FITS 14" BACK FOR GAS & SOLID FUEL



D38 DAMPER
FITS 16" BACK FOR GAS & SOLID FUEL



D4 SQUAREBACK DAMPER
FITS 14" FOR GAS & SOLID FUEL



CLOSURE PLATE
FITS 16" CLAY OR CAST BACK



ALL NIGHT BURNER - BLACK

16" with brass and chrome finials



AP2 ASHPAN

For 16" arch 16½"(W) x 7"(D)



AP4 ASHPAN

For 14" combination 13"(W) x 6"(D)



AP9 ASHPAN

Tapered for 16" back - 11"(W) x 8½"(D)
(for use with G3, G4, G5, G6, G7, G15, G16)



AP11 ASHPAN

Tapered - 12½"(W) x 7½"(D)



AP14 ASHPAN

Small square - 8"(W) x 7"(D)
(for use with G2, G14)



AP18 ASHPAN


Tapered for 18" back - 14½"(W) x 8½"(D)



A2 ASHPAN COVER

18½"(W) x 5½"(H)





DIMENSIONS

- A Maximum Width
- B Width between centre of uprights
- C Height

B1 FREE STANDING BAR

A:18" B:16½" C:11½"



B3 FREE STANDING BAR

A:21" B:17½" C:10½"



B5F FREE STANDING BAR

A:19½" B:16½" C:10½"



B9F FREE STANDING BAR

A:22" B:17½" C:12"



B12 HOOK ON BAR

A:21" B:19½" C:13"



B13 BOLT ON BAR

A:15½" B:14" C:5"



B14 BOLT ON BAR

A:19" B:17" C:5"



B15 FREE STANDING BAR

A:16" B:14½" C:10½"



B16 FREE STANDING BAR

A:13½" B:12½" C:10½"



B23 FREE STANDING BAR

A:14" B:13" C:10"



B24 FREE STANDING BAR

A:18½" B:15½" C:10"



B26 FREE STANDING BAR

A:20½" B:18" C:11"



B29 HOOK ON BAR

A:17½" B:16½" C:10"



B30 HOOK ON BAR

A:18" B:17" C:10"



B31 HOOK ON BAR

A:19" B:17" C:10½"



B40 HOOK ON BAR

A:20" B:17" C:12"



B48 HOOK ON BAR

A:16" B:14½" C:10"



CLAY BRICK LINTEL

FOR 16" OR 18"



CLAY BRICK 16"



CLAY BRICK 18"



ATLANTA - BLACK 16"



ATLANTA - NICKEL 16"



BEACON - BLACK 16"



SOOT BOX
9"(W)X9"(H)



SOLID FUEL TRIM - BLACK, BRUSHED, ANTIQUE BRASS & POLISHED
16" x 22" x 2"



GAS & ELECTRIC ACCESSORIES

GAS COALS (BOX OF 50)

SMALL, MEDIUM & LARGE



GAS DRIFTWOOD

BOX OF 16



GAS LOGS

SMALL 6" (BOX OF 8) MEDIUM 8" (BOX OF 8)
LARGE 12" (BOX OF 4)



GAS FIREWOOD

BOX OF 16



GAS HIGH DEFINITION LOGS

FIREBASKETS & SUNKEN BURNER (18 PIECES)



GAS EMBAGLOW

FLICKERING EMBERS



GAS PEBBLES

MIXED SIZES (BOX OF 30)



GAS HOT BOX

16" MAGNETIC HOT BOX RIBBED



ELECTRIC PJ FIRE



ANTIQUe BRASS TRIM
MAGNETIC TRIM FOR GAS & ELECTRIC



BLACK TRIM
MAGNETIC TRIM FOR GAS & ELECTRIC



BRUSHED STEEL TRIM
MAGNETIC TRIM FOR GAS & ELECTRIC



POLISHED TRIM
MAGNETIC TRIM FOR GAS & ELECTRIC



ANTIQUe BRASS FRET
16" BAUHAUS FRET FOR GAS & ELECTRIC



BLACK FRET
16" BAUHAUS FRET FOR GAS & ELECTRIC




CHROME FRET
16" BAUHAUS FRET FOR GAS & ELECTRIC



POLISHED FRET
16" BAUHAUS FRET FOR GAS & ELECTRIC



BLENHEIM FRET
16" ANTIQUe WITH URN FINIALS FRET FOR GAS & ELECTRIC



BLACK BALTIMORE FRET
16" FRET FOR GAS & ELECTRIC



POLISHED BALTIMORE FRET
16" FRET FOR GAS & ELECTRIC



GRANITE & SLATE

GRANITE BOXED AND LIPPED HEARTH	OVERALL NOMINAL HEIGHT (mm)	POLISHED OR HONED
	36" x 15"	50
48" x 15"	50	✓
51" x 15"	50	(POLISHED ONLY)
54" x 15"	50	✓
54" x 18"	50	(POLISHED ONLY)
56" x 15"	50	✓
59" x 15"	50	✓
60" x 18"	50	(POLISHED ONLY)

GRANITE BACK PANEL AND HEARTH SETS POLISHED OR HONED	PACKAGE
48" OR 54" X 15" HEARTH WITH 37" X 37" B/P WITH STANDARD CUT OUT	✓

GRANITE FLAT HEARTH	OVERALL NOMINAL HEIGHT (mm)	POLISHED OR HONED
PUSH-UNDER BACK HEARTH (30" x 6")	20	✓
STANDARD BACK HEARTH (32" x 15")	20	✓
LARGE BACK HEARTH (38" x 15")	20	✓
36" X 24" FOR FREESTANDING STOVES (FINISHED ALL FOUR SIDES)	20	✓
48" x 18"	20	✓
54" x 18"	20	✓
60" x 20"	20	✓

GRANITE SLIPS STANDARD SIZES	POLISHED OR HONED
SIZE ONE (BASKET) OPENING 635 x 635 (1 x (940 x 305) 2 x (152 x 635))	✓
SIZE TWO (INSET) OPENING 420 x 570 (1 x (940 x 370) & 2 x (260 x 570))	✓
SIZE THREE (STOVE) OPENING 661 X 840 (1 X (965 X 180) & 2 X (152 X 839))	✓

BACK PANELS	OVERALL NOMINAL THICKNESS (mm)	POLISHED OR HONED	SLATE HONED*
SMALL SUITE PANEL 810w x 790h WITH STANDARD CUT OUT	20	✓	N/A
37" x 37" WITH STANDARD CUT OUT	20	✓	✓
37" x 37" WITH NO CUT OUT	20	✓	✓
40" x 40" WITH STANDARD CUT OUT	20	(POLISHED ONLY)	✓
40" x 40" WITH NO CUT OUT	20	(POLISHED ONLY)	✓

SLABBED HEARTH FOR SOLID FUEL	OVERALL NOMINAL HEIGHT (mm)	POLISHED OR HONED	* Non stock items, ten working day lead time.
36" x 18"	50	(POLISHED ONLY)	
36" x 24"	50	✓	
48" x 15"	50	✓	
48" x 18"	50	✓	
54" x 15"	50	✓	
54" x 18"	50	✓	
56" x 18"	50	(POLISHED ONLY)	
59" x 15"	50	✓	
60" x 18"	50	(POLISHED ONLY)	

Other sized Slabbed Hearths are available, prices on request. Push unders are also available, prices on request.

SLATE BOXED & LIPPED HEARTH	OVERALL NOMINAL HEIGHT (mm)	HONED
36" x 15"	50	✓
48" x 15"	50	✓
54" x 15"	50	✓
59" x 15"	50	✓

DESIGN LINE SLIPS TO FIT A CAPITAL FIREPLACE		
POLISHED OR HONED GRANITE		
AEGEAN LIMESTONE & CORINTHIAN STONE		
MICROMARBLE SUITE		
PORTUGUESE LIMESTONE (EXTENDED DELIVERY MAY APPLY)		
AEGEAN LIMESTONE (STOCK)	OVERALL NOMINAL HEIGHT (mm)	SIZE
STANDARD BACK HEARTH	20	813 X 380 X 20 (32 X 15)
LARGE BACK HEARTH	20	964 X 380 X 20 (38 X 15)
HEARTH 48" X 15" BOXED AND LIPPED	50	
HEARTH 54" X 15" BOXED AND LIPPED	50	
HEARTH 59" X 15" BOXED AND LIPPED	50	
SLIP SET STANDARD SIZE TWO		OPENING 420 X 575 (1 X (945 X 365) & 2 X (260 X 575))
REBATE SPACER STRIPS (STOCK)		
AEGEAN LIMESTONE		3 PART (1 X (965 X 50 X 20) 2 X (915 X 50 X 20)
CARRARA MARBLE		3 PART (1 X (965 X 50 X 20) 2 X (915 X 50 X 20)
LIBERTY WHITE		3 PART (1 X (965 X 50 X 20) 2 X (915 X 50 X 20)
FLATS (STOCK)		
PORTUGUESE LIMESTONE, AEGEAN LIMESTONE & CORINTHIAN STONE		48 X 20 X 20
		60 X 20 X 20

BESPOKE CUTTING & FABRICATING SERVICE AVAILABLE ON REQUEST,
PLEASE CONTACT YOUR LOCAL CAPITAL STOCKIST FOR PRICES.

Recent changes in legislation have been made in an attempt to reduce the emissions of all solid fuel burning appliances. As such solid fuel Baskets/Kits, Combination Fireplaces and Cast Iron Inserts should not be used as local space heaters in order to reach and maintain a certain level of human thermal comfort. Whilst the actual heat output of these products has not changed from previous years they should now be viewed as for decorative use only.



www.capitalfireplaces.co.uk