



 **VARDE**

NOTHING **WARMS** BETTER

# The Epitome of Danish Design



Our burning passion for creating beautiful stoves epitomises the fine craftsmanship and flair for design, which runs throughout our Danish heritage.

We focus on using quality construction and materials to bring both comforting warmth and an inviting atmosphere into your home.

Varde stoves stand proudly at the forefront of contemporary stove design, employing the latest combustion technology to ensure breath-taking flame visuals, eco-friendly heating and complete ease of use.





# Complete Peace of Mind

## Expert Retailer Network

We take great care to ensure that our stoves are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find Varde products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design, and ensure that you select the most appropriate product for your home. They will also be able to advise on or assist with the installation process as well as help provide any after-sales support and servicing of your appliance that you may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a decision to purchase your Varde Stove. Please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

## 5 Year Extended Warranty

Varde Stoves purchased from within our Expert Retailer Network will have a Two Year Warranty which can be extended to a Five Year Warranty provided your stove is registered with Varde. Further details of this warranty are on page 26.



## Varde Product range

06	Bolton
08	Lincoln
10	Aura
14	Fuego
16	Bornholm
18	Samso
20	Shape 2
22	Uniq
24	Technical Information
26	Further Information

## What you get with a Varde stove



### Convection System

All Varde stoves are based on a convection system that introduces cold air at the bottom of the stove and then releases heated air at the top. This special system promotes good air circulation and increases heat delivery to the room.



### Cleanburn System

Varde stoves feature a Cleanburn system that introduces pre-heated combustion air into the top of the firebox, increasing heat output and reducing the amount of soot particles.



### Airwash System

By cleverly controlling the airflow within the stove, the glass is kept clear from soot, thus allowing an uninterrupted view of the beautiful rolling flame visuals.



### AirBox External Air

Selected Varde stoves feature a superb 'AirBox' external air combustion facility. Taking combustion air from outside the building reduces draughts and greatly increases fuel economy to give you extra comfort in your home.



### Smoke Control Area Approved

All Varde Stoves, when fitted with the appropriate kit, have been approved for the burning of wood in DEFRA smoke control areas meaning that even the most urban of homes can benefit from this environmentally friendly fuel source.



### Carbon Neutral Heating

Every Varde stove in this brochure is designed for the burning of wood. Nothing comes close to the real-fire ambiance when heating your home with this carbon neutral fuel source.



# Ecodeign Ready

The future has arrived. The stoves of tomorrow are here today.

Our eco-conscious approach to stove design means that all of our products are engineered to burn extremely cleanly, not just by today's measures but also by far tougher, future 2022 Ecodeign air quality standards.

Each model provides high efficiency, low emission heating thanks to our next generation combustion technology, which minimises carbon monoxide (CO), nitrogen oxide (NOx) organic gaseous compounds (OGCs) and particulates (PMs) present in smoke. These SIA Ecodeign Ready\* stoves represent the future of solid fuel home heating.

Varde stoves are exempt from DEFRA smoke control areas (when fitted with the appropriate kit), providing a modern, carbon neutral heating solution that is suitable for urban and rural homes alike.

All woodburning and multi-fuel stoves in this brochure burn with high thermal efficiency. Each stove in the range is subject to European energy labelling standards and is rated as either an A or A+ energy class appliance. For more information, see individual product pages.



\* Bornholm, Bolton and Lincoln stoves subject to HETAS confirmation.

---

**VARDE**  
**BOLTON STOVE**

---



# Panoramic flame views

The Bolton is a three-sided stove featuring viewing windows on the left and right hand sides of the firebox, which allow its impressive flames to be appreciated wherever you are in the room. Employing a large combustion chamber with powerful airflow systems, the Bolton easily generates an ample heat output of 7kW at an exceptional 80% efficiency.



Combustion chamber designed to make it easy to light and clean the stove



Expansive flame visuals



Ergonomically designed handle



Door, top plate and grate made of high-quality cast iron

## KEY FACTS

Height:	1000mm	Weight:	104kg
Width:	512mm	Heat Output:	7.0kW (5-11kW)
Depth:	452mm	Efficiency:	80%
Woodburning:	✓	Energy Efficiency Class:	A+
Multi-fuel:	X		





# VARDE LINCOLN STOVE

## Nordic Elegance

Featuring a large curved viewing window and expansive firebox, which can take logs of up to 350mm, the Lincoln woodburning stove offers soaring flame visuals. Producing a generous 7kW high efficiency heat output, this large format stove is suitable for spacious living areas.



Combustion chamber designed to make it easy to light and clean the stove



Expansive flame visuals



Ergonomically designed handle



Door, top plate and grate made of high-quality cast iron

## KEY FACTS

Height:	1000mm	Weight:	104kg
Width:	512mm	Heat Output:	7.0kW (5-11kW)
Depth:	452mm	Efficiency:	80%
Woodburning:	✓	Energy Efficiency Class:	A+
Multi-fuel:	X		



---

VARDE  
AURA STOVE

---



# Quality details in an attractive design

The Aura range features high-quality cast iron doors, top plate, grate and base, alongside an integrated log store and options for both top and rear exit.

Aura 1 has a large fire chamber with ample fuel storage space beneath the innovative door which opens when pressed gently.



Large capacity ash pan



Ergonomically designed handles



Expansive flame visuals

See back cover for additional image.

## VARDE AURA 1 - KEY FACTS

Height:	1000mm	Weight:	104kg
Width:	500mm	Heat Output:	5.0kW (3-7kW)
Depth:	420mm	Efficiency:	81%
Woodburning:	✓	Energy Efficiency Class:	A+
Multi-fuel:	X		



## VARDE AURA 2 - KEY FACTS

The Aura 2 is designed with a wider front, providing more space in the log storage chamber under the stove as well as an excellent view of the flames.

Height:	1000mm	Weight:	101kg
Width:	500mm	Heat Output:	5.0kW (3-7kW)
Depth:	430mm	Efficiency:	81%
Woodburning:	✓	Energy Efficiency Class:	A+
Multi-fuel:	X		



See page 3 for additional image.



## VARDE AURA 3 - KEY FACTS

At only 870mm high, the Aura 3 is the smallest stove in the Aura range, making it perfectly suited to more compact living spaces.

Height:	870mm	Weight:	106kg
Width:	480mm	Heat Output:	5.0kW (3-7kW)
Depth:	430mm	Efficiency:	81%
Woodburning:	✓	Energy Efficiency Class:	A+
Multi-fuel:	X		



## VARDE AURA 11 - KEY FACTS

Though the largest in the range at 1100mm high, the Aura 11 has an elegant plinth for a light and contemporary look.

Height:	1100mm	Weight:	113kg
Width:	500mm	Heat Output:	5.0kW (3-7kW)
Depth:	420mm	Efficiency:	81%
Woodburning:	✓	Energy Efficiency Class:	A+
Multi-fuel:	X		



AURA 11



AURA 2



AURA 3

# VARDE FUEGO 1 STOVE

## Clean lines and refined curves

Combining striking geometric styling with advanced engineering, the distinctive Fuego 1 will add a both functional and impressive centrepiece to your interior.

A smooth, bevelled door frames the impressive flames which are fed by powerful Cleanburn combustion systems.

The Fuego 1 has been specifically designed to accommodate an external air supply, which means all combustion air can be drawn from the outside of your home, minimising internal draughts.



Contrasting handles



Expansive flame visuals



Integral plinth



Elegant rounded corners

## KEY FACTS

Combining geometric lines and subtle curves, the distinctive Fuego 1 will make a functional centrepiece in your home.

Height:	990mm	Weight:	125kg
Width:	500mm	Heat Output:	5.0kW (3-7kW)
Depth:	410mm	Efficiency:	76%
Woodburning:	✓	Energy Efficiency Class:	A
Multi-fuel:	X		





---

**VARDE**  
**BORNHOLM STOVE**

---





# A welcoming warmth with superb flame visuals

Varde's latest stove, the Bornholm, adds large side windows to this superb design. Providing a panoramic view of the stunning flames, the Bornholm's burn chamber creates soaring visuals with Cleanburn and Airwash systems ensuring a high efficiency 5kW heat output.

This innovative stove features a door to the useful storage area in the stove's base section, allowing logs and accessories to be hidden out of sight.



Side windows



Ergonomically designed handles



Expansive flame visuals

## VARDE BORNHOLM - KEY FACTS

Height:	1000mm	Weight:	85kg
Width:	460mm	Heat Output:	5.5kW (3-7kW)
Depth:	350mm	Efficiency:	80%
Woodburning:	✓	Energy Efficiency Class:	A+
Multi-fuel:	X		



---

VARDE  
SAMSO STOVE

---



# Stylish aesthetics with innovative features

Available in both woodburning and multi-fuel models, Samso stoves present a stylish, flexible heating option. Combining clever engineering with contemporary aesthetics, these advanced stoves create an eye-catching centrepiece whilst providing exceptional performance.

Both woodburning and multi-fuel models offer a superb view of the soaring flames, thanks to their expansive ceramic glass window and powerful Airwash system for uninterrupted visuals.

A perfect balance of form and function, the Samso also features an integral log store and ash draw, with contrasting stainless steel handles to accent the matt black exterior.



Cast iron disc grate in base for easy ash removal



Expansive flame visuals



Door, top plate, grate and flue made of high-quality cast iron



Easy access ash pan

See page 25 for additional image.

## KEY FACTS

Height:	1000mm	Weight:	80kg
Width:	490mm	Heat Output:	5.0kW (3-7kW)
Depth:	350mm	Efficiency:	Up to 83%
Woodburning:	✓	Energy Efficiency Class:	A+
Multi-fuel:	✓		



---

VARDE  
SHAPE 2 STOVE

---



# Versatile heating options

The Shape 2 is offered as either a dedicated woodburning or multi-fuel model, and features a tall firebox with a curved window for a breath-taking flame view. These versatile stoves are available in either top or rear flue options and feature Varde's AirBox system for an external air supply if required.



Combustion chamber designed to make it easy to light and clean the stove



Ergonomically correct adjustment of the air vent



Door, top plate and grate made of high-quality cast iron



Ergonomically designed handle



Cast iron disc grate in base for easy ash removal



Expansive flame visuals

## KEY FACTS

Height:	1020mm	Weight:	119kg
Width:	520mm	Heat Output:	5.0kW (3.5-6kW)
Depth:	410mm	Efficiency:	Up to 82%
Woodburning:	✓	Energy Efficiency Class:	A+
Multi-fuel:	✓		



# VARDE UNIQ STOVE



UNIQ 13



Contrasting handle detail



Large capacity ash pan



Elegant rounded corners



Adjustment of the air supply  
with one handle



Side windows for an  
increased flame visual

## VARDE UNIQ 1 - KEY FACTS

With its three sides, the Uniq 1 is a 180° experience and really lights up the room. The side windows are double glazed and there is a large, practical space for storing fuel in the base of the stove.

Height:	1040mm	Weight:	110kg
Width:	480mm	Heat Output:	5.0kW (3-6kW)
Depth:	370mm	Efficiency:	76%
Woodburning:	✓	Energy Efficiency Class:	A
Multi-fuel:	✗		

Please see front cover and page 27 for additional Uniq 1 images.




## VARDE UNIQ 13 - KEY FACTS

The Uniq 13 offers the same firebox characteristics as the Uniq 1, but with a taller integral log store.

Height:	1160mm	Weight:	120kg
Width:	480mm	Heat Output:	5.0kW (3-6kW)
Depth:	370mm	Efficiency:	76%
Woodburning:	✓	Energy Efficiency Class:	A
Multi-fuel:	✗		



# TECHNICAL INFORMATION



	External dimensions A x B x C (mm)	Centre of rear flue to bottom D (mm)	Rear edge to centre of flue E (mm)	Flue diameter Ø (mm)	Fitting height, top F (mm)	Weight (kg)
BOLTON	1000 x 512 x 452	880	197	150	990	104
LINCOLN	1000 x 512 x 452	880	197	150	990	104
AURA 1	1000 x 500 x 420	830	150	150	970	104
AURA 2	1000 x 500 x 430	830	165	150	970	101
AURA 3	870 x 480 x 430	710	170	150	870	106
AURA 11	1100 x 500 x 420	925	152	150	1100	113
FUEGO 1	990 x 500 x 410	830	130	150	980	125
BORNHOLM	1000 x 460 x 350	855	115	150	990	85
SAMSO	1000 x 490 x 350	855	115	150	990	80
SHAPE 2	1020 x 520 x 410	870	160	150	960	119
UNIQ 1	1040 x 480 x 370	910	170	150	1020	110
UNIQ 13	1160 x 480 x 370	1040	170	150	1140	120

	Minimum rear distance to combustibles (mm)	Minimum side distance to combustibles (mm)	Minimum front distance to combustibles (mm)	Nominal Heat Output & Range (kW)	Efficiency (%)	Energy Efficiency Class
BOLTON	200	1030	1050	7.0 (5.0 - 11.0)	80	A+
LINCOLN	200	1030	1050	7.0 (5.0 - 11.0)	80	A+
AURA 1	125	300	850	5.0 (3.0 - 7.0)	81	A+
AURA 2	125	300	850	5.0 (3.0 - 7.0)	81	A+
AURA 3	125	300	850	5.0 (3.0 - 7.0)	81	A+
AURA 11	125	300	850	5.0 (3.0 - 7.0)	81	A+
FUEGO 1	200	200	800	5.0 (3.0 - 7.0)	76	A
BORNHOLM	300	450	1100	5.5 (3.0 - 7.0)	80	A+
SAMSO	WB: 200 / MF: 500	300	800	5.0 (3.0 - 7.0)	WB: 81 / MF: 83	A+
SHAPE 2	WB: 200 / MF: 250	WB: 250 / MF: 300	800	5.0 (3.5 - 6.0)	WB: 79 / MF: 82	A+
UNIQ 1	150	350	850	5.0 (3.0 - 6.0)	76	A
UNIQ 13	150	350	850	5.0 (3.0 - 6.0)	76	A

WB: Woodburning model. MF: Multi-fuel model.

A HETAS approved installer should undertake a site survey prior to purchase and must install any Varde Stove for you. Your Varde retailer will be able to advise and assist. You may view/download complete installation instructions at our website - [www.vardestoves.com](http://www.vardestoves.com). These diagrams/dimensions cover some of the basic requirements. All stoves should be installed by a competent person to the requirement of Building Regulations (Document J) and include the fitting of adequate ventilation to ensure safe use. Usually older buildings do not need any additional ventilation for appliances up to 5kW, but modern houses will need additional ventilation in all cases. Some models can be fitted with an optional External Air Kit, or dedicated external air supply, offering a discreet and draught reducing solution to standard room venting.

# IMPORTANT INFORMATION

Please note that all parts of these stoves, particularly the glass panels in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm. Furthermore, by law all stove installations also require a Carbon Monoxide monitor.

Varde reserves the right to amend any specifications herein or to make any product design changes. Please note that, due to studio lighting and the limitations of the printing process, colour reproduction may vary from actual product. Please consult your Varde retailer for more accurate colours.

Given that building regulations are subject to change, some of the photography in the brochure may not comply with the requirements of the latest Building Regulations and you should always check your proposed installation arrangement with your HETAS trained installer before proceeding. When designing your own installation, please also observe the minimum distance to combustible materials as stated in the installation instructions.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.



SAMSO

# FURTHER INFORMATION

## 5 Year Warranty

When you purchase your new stove from a Varde Expert retailer they will provide you with a Two Year Warranty. This can then be extended to a Five Year Warranty provided your stove is registered with Varde. Please note, these warranties exclude certain consumable parts. Stoves purchased outside Varde's Expert Retailer Network will carry a standard 12 month non-extendable warranty. Full warranty terms and conditions are available to view at [www.vardestoves.com](http://www.vardestoves.com)




## Professional XQ™ Chimney Systems

FOR HOMES WITHOUT A CHIMNEY!

Varde recommends the Stovax comprehensive range of stove & fireplace chimney systems, the Stovax Professional XQ™ collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.

With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ™ range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ™ range carries a 10 year conditional warranty offering complete peace of mind.







AURA 1



To view the complete range of brochures within the Stovax group, simply scan this code or visit [www.stovax.com](http://www.stovax.com)



United Kingdom & Republic of Ireland distributors for Varde:

**Stovax Limited**  
Falcon Road, Sowton Industrial Estate,  
Exeter, Devon EX2 7LF

UK Trade Sales Tel: 01392 474000  
ROI Trade Sales Tel: 00 44 1392 261990  
Fax: 01392 219932  
Email: [varde@stovax.com](mailto:varde@stovax.com)

£1.00

Your Varde Retailer:



VARDE0618

Paper sourced from sustainable forests and printed using vegetable based inks

© All material Stovax Limited 2018 - E & O E

[www.vardestoves.com](http://www.vardestoves.com)